

# **Outdoor Power Equipment**



westinghouseoutdoorpower.com.au

Power - when you need it - where you need it

## Digital Inverter Generators

Westinghouse digital inverter generators offer you the ultimate in portable power convenience. Lightweight, fuel efficient and quiet, their mains-quality electrical output can safely power all your sensitive electronic equipment. They're an essential part of your gear for caravanning and camping and also great for home as a backup power supply.

\$1,059 RRP

iGen1200

1000 Running Watts 1200 Starting Watts









iGen2200 1800 Running Watts 2200 Starting Watts





iGen2500



2200 Running Watts 2500 Starting Watts





iGen2600 2200 Running Watts 2600 Starting Watts



### You can be sure...if it's Westinghouse





\$2,939 RRP

iGen4500s

3700 Running Watts 4500 Starting Watts









2400i Classic

2100 Running Watts 2400 Starting Watts





Model	Max. Output	Engine Size	Fuel Tank	Max. Runtime	Min. Noise	Dry Weight
	Watts	CC	Litres	Hours	dB(A)	kg
iGen1200	1,200	54	2.8	15	51	15
iGen2200	2,200	79	4.3	19	51	21
iGen2500	2,500	98	4.3	17	51	21.5
iGen2600	2,600	98	5	19	52	22.5
iGen4500s	4,500	224	13.5	24	51	49.5
2400i Classic	2,400	79	5	24	51	20

# **Utility Series**

The Utility Series of Westinghouse generators are compact, high performance units designed specifically for Australian operating conditions. Equipped with a unique combination of high quality features, they offer superior value for money and are an ideal portable power supply for your home, business or farm.



\$1,189 RRP

#### **WHXC3750**

3000 Running Watts 3750 Starting Watts



\$1,639 RRP

#### **WHXC5000**

4000 Running Watts 5000 Starting Watts

# **Utility Series**

\$1,859 RRP

#### **WHXC7000**

5500 Running Watts 7000 Starting Watts





\$2,399 RRP

#### WHXC8500E

6750 Running Watts 8500 Starting Watts

Model	Max. Output	Engine Size	Fuel Tank	Run Time *	Noise Level #	Dry Weight
	Watts	CC	Litres	Hours	dB(A)	kg
3750	3,750	224	15	16.8	76	52
5000	5,000	292	25	18.7	76	71
7000	7,000	420	25	15.3	80	80
8500E	8,500	420	25	13.1	80	94

SINE WAVE/OUTPUT

AVR EQUIPPED

ELECTRIC START

<sup>\*</sup> At 50% rated output. # At 100% rated output.

### **Professional Series**

The Professional Series of Westinghouse generators offer you the highest levels of safety and portability in compliance with Australian WH&S regulations. An RCD safety switch and weatherproof outlets protect against electric shock. And ergonomic lifting handles and all-terrain wheels provide enhanced mobility.



\$1,349<sub>RRP</sub>

**WHXC3750-PRO** 

3000 Running Watts 3750 Starting Watts



\$2,599 RRP

WHXC8500E-PRO

6750 Running Watts 8500 Starting Watts

Model	Max. Output	Engine Size	Fuel Tank	Run Time *	Noise Level #	Dry Weight
	Watts	CC	Litres	Hours	dB(A)	kg
3750-PR0	3,750	224	15	16.8	76	52
8500E-PR0	8,500	420	25	13.1	80	94

<sup>\*</sup> At 50% rated output. # At 100% rated output.

### **Auto Start Series**

Westinghouse Auto Start Series generators have been designed specifically for the Australian market to complement off-grid solar power systems and other applications that need a hardwired remote-control generator. In addition to the features of a standard generator, each model has a unique 2-wire auto remote start, run and stop control system.



### iGen4500As

3700 Running Watts 4500 Starting Watts













Series II Upgrade

WHXC8500E-AS II

6750 Running Watts 8500 Starting Watts





2 - WIRE **AUTO START** 

AVR EQUIPPED

Model	Max. Output	Engine Size	Fuel Tank	Run Time *	Noise Level #	Dry Weight
	Watts	CC	Litres	Hours	dB(A)	kg
iGen4500AS	4,500	224	13.5	24 *	51 ◊	49.5
8500E-AS II	8,500	420	25	13.1 #	80 ‡	94

<sup>\*</sup> Maximum.

<sup>#</sup> At 50% rated output.

<sup>♦</sup> Minimum.

### **Pressure Washers**

Westinghouse pressure washers give you the power to blast away dirt and grime from your outdoor cleaning jobs. With up to four times the area cleaning performance of electric-powered pressure washers, these petrol-powered cleaners can save you both time and water while being easy and safe to use.



Model	Pressure	Flow Rate	Cleaning Rate #	Engine Size	Spray Nozzles	Dry Weight
	psi	L/min	m²/h	cc	Qty	kg
WPX2700	2,700	8.7	54	212	4	28
WPX3200	3,200	9.5	70	212	5	28

<sup>\*</sup> Compared to a garden hose. # Indicative cleaning performance.

# **Generator Covers**



Fits iGen2200/2500/2600 & 2400i Fits 3750/PRO & iGen4500s/AS Fits 5000/7000/8500E/PRO/AS